



TENDER AND SMALL BOAT DOCK CATALOG

PWC Dock Configuration

(XLPWC Dock Shown)





SEQUENTIAL FLEX TECHNOLOGY ™

The Jet Dock System and its assembly, designs and configurations depicted throughout this catalog are protected by U.S. Potents #5,529,013; #5,682,833; #5,931,113; #5,947,050; #6,431,106; #6,526,902 and #6,745,714; Canadian Patent #2,174,705; European Potent #0,837,815 and #1,440,003; and other pending U.S., Canadian, and International Patents. For more information on licensing and/or patent infringement darification, please contact Jet Dock Systems, Inc.



FLOATATION UNIT

MATERIAL: High Molecular Weight HDPE

WEIGHT: 14 lbs.

DIMENSIONS: 20" x 20" x 16" tall

SURFACE AREA: 2.78 sq. ft.


DISPLACEMENT: ≈ 200 lbs.

WARRANTY: Lifetime Limited Warranty

TENDER AND SMALL BOAT DOCK CONFIGURATIONS



ONLY FOR SMALL CRAFT UP TO 12ft. LONG




UNIVERSAL 12ft. "Tender" Dock

Size: 8'4" wide x 15' long

Cubes: 42 Item No.: T.B.D. The modularity of the Jet Dock system allows for multiple designs for any craft. Please call us at 800.538.3625 to discuss you personal docking options and pricing inclusive of mooring, shipping or installation with delivery.

ONLY FOR "TENDERS" UP TO 14ft, LONG



UNIVERSAL 14ft. "Tender" Dock

Size: 8'4" wide x 16'8" long

Cubes: 47

Item No.: D01-03-CC-000

STANDARD FEATURES

- PRE-ASSEMBLED FOR SHIPPING
- LIFETIME LIMITED WARRANTY
- DURABLE HIGH DENSITY POLYETHYLENE CONSTRUCTION
- PATENTED DRIVE-ON RAMPED DESIGN
- PATENTED, MODULAR, CHANGEABLE CONFIGURATIONS
- NON-SKID SURFACE
- 270° WALK-AROUND SPACE
- BACK-UP SAFETY WINCH TURRET
- PERIMETER TIE-OFF CLEATS
- PROVISIONS FOR SECURITY SYSTEM INSTALLATION
- DRY, SELF-BAILING, WATER-DRAINING DECK
- MECHANICAL WINCH ASSIST LAUNCH SYSTEM
- PATENT PENDING BUOYANCY BEAM[™] SYSTEM

WARNING: The Jet Dock System and its assembly designs and configurations depicted in these diagrams are protected by U.S. Patents #5,529,013; #5,682,833; #5,931,113; #5,947,050; #6,431,106; #6,526,902 & #6,745,714; Canadian Patent #2,174,705; European Patent #0,837,815 & #1,440,003; and pending United States, Canadian and International patents. For information on licensing and/or patent infringement clarification, please contact Jet Dock Systems, Inc.

LEGEND

- PIVOTING PEDESTAL WINCH
 W/MECHANICAL ASSIST LAUNCH SYSTEM
- PERIMETER TIE-OFF CLEAT
- MODULE ASSEMBLY
- CUSTOM ADDED LANE
- → ← BUOYANCY BEAM™ LOCATION



- CRAFT SILHOUETTE

BOAT DOCK ACCESSORIES





Tide Manager System (#A221)
Used to moor a Jet Dock to
an existing fixed structure.



Tide Manager Stand-Alone System (#K011) A set of Machined cubes and tide manager poles, used to moor a Jet Dock where no existing structure exists.



Deluxe Fender Mooring System (#A207) Used to moor a Jet Dock to An existing floating dock.



5 Step Lift Ladder (#A014) Attaches to existing fixed structure for easy access to your Jet Dock



Jet Dock Tool Kit (#A331) Used for final assembly of larger docking systems.



Dock Box (#A002)
48 gallon capacity dock box
attaches to your Jet Dock
for convenient storage