




TWIN PWC DOCK CATALOG

PWC Dock Configuration

(HD PWC Dock Shown)



PATENTED DESIGN



SEQUENTIAL FLEX TECHNOLOGY™


The Jet Dock System and its assembly, designs and configurations depicted throughout this catalog are protected by U.S. Patents #5,529,013; #5,682,833; #5,931,113; #5,947,050; #6,431,106; #6,526,902 and #6,745,714; Canadian Patent #2,174,705; European Patent #0,837,815 and #1,440,003; and other pending U.S., Canadian, and International Patents. For more information on licensing and/or patent infringement clarification, please contact Jet Dock Systems, Inc.



FLOATATION UNIT

MATERIAL:	High Molecular Weight HDPE
WEIGHT:	14 lbs.
DIMENSIONS:	20" x 20" x 16" tall
SURFACE AREA:	2.78 sq. ft.
DISPLACEMENT:	≈ 200 lbs.
WARRANTY:	<i>Lifetime Limited Warranty</i>

TWIN PWC DOCK CONFIGURATIONS



These are our most popular PWC Docks. We have options for winches, bunks, and added length and width. Please call us at 800.538.3625 to discuss your personal docking options and price inclusive of mooring, shipping or installation with delivery

WARNING: The Jet Dock System and its assembly designs and configurations depicted in these diagrams are protected by U.S. Patents #5,529,013; #5,682,833; #5,931,113; #5,947,050; #6,431,106; #6,526,902 & #6,745,714; Canadian Patent #2,174,705; European Patent #0,837,815 & #1,440,003; and pending United States, Canadian and International patents. For information on licensing and/or patent infringement clarification, please contact Jet Dock Systems, Inc.



PWC ACCESSORIES



Tide Manager System (#A221)
Used to moor a Jet Dock to an existing fixed structure.



Tide Manager Stand-Alone System (#K011)
A set of machined cubes and tide manager poles, used to moor a Jet Dock where no existing structure exists.



Deluxe Fender Mooring System (#A207)
Used to moor a Jet Dock to an existing floating dock.



HD Security System (#A136)
Used to lock a craft down to the Jet Dock. Also available built into a cube (#A135).



Jet Dock Tool Kit (#A331)
Used for final assembly of larger docking systems.



Open-Well Cover (#C797)
Can be added to eliminate the openings in the dock.