




# TIDE MANAGER<sup>™</sup>STAND-ALONE MOORING SYSTEM





Tide Manager Stand-Alone Mooring System in black

The Tide Manager<sup>™</sup> Stand-Alone Mooring
System is the perfect solution for mooring
your Jet Dock when there is no suitable
structure to moor to. The system consists of a
pair of 12′ poles and machined cubes that the
poles go through. The poles are inserted
through the cubes and are submerged into the
seafloor 2′-3′ at the bottom. The poles can
then be easily removed if the dock needs to be
moved to a new location, or if it needs to be
pulled out in the winter to avoid hard ice flows.
The system can also accommodate up to four
feet of water level fluctuation.



Tide Manager Stand-Alone Mooring System in beige

### TIDE MANAGER<sup>™</sup>STAND-ALONE MOORING SYSTEM

#### MOORING OPTIONS





**Stand-Alone Mooring works for walkways...** 



...PWC Docks...



...even multiple Boat Docks!

## TIDE MANAGER<sup>™</sup>STAND-ALONE MOORING SYSTEM

### Mooring and Accessory Options





Tide Manager "Stand-Alone"
System - Beige (#A246)
Pair of 12' Poles and machined
cubes used to moor your
Jet Dock where no suitable
structure exists.



Tide Manager "Stand-Alone"
System - Black (#A241)
Pair of 12' Poles and machined
cubes used to moor your
Jet Dock where no suitable
structure exists.



Jet Dock Tool Kit (#A331) Used for final assembly of larger docking systems.



Dock Box (#A002)
48 gallon capacity dock box attaches to your Jet Dock for convenient storage.